

RECEIVED

2017 OCT 13 AM 11:41

CITY SECRETARY
DALLAS, TEXAS



CITY OF DALLAS

PUBLIC MEETING POSTING
URBAN DESIGN PEER REVIEW PANEL
City Hall 6FN, Parks Department Board Room
Friday, October 20, 2017 at 8:30am

PURPOSE: To consider the attached agenda and any other business that may come before the Urban Design Peer Review Panel.

*** All meeting rooms and chambers are located in Dallas City Hall, 1500 Marilla, Dallas, Texas**

URBAN DESIGN PEER REVIEW PANEL

Peer Chacko, Director of Planning and Urban Design

Meeting Agenda

1. Call to Order
2. Review and Approval of minutes from the June 23, 2017 Urban Design Peer Review Panel meeting.
3. Review of the Sylvan Terrace development proposal
4. Review of The Epic development proposal
5. Adjournment

Public Notice

17 10 4 6

POSTED CITY SECRETARY
DALLAS, TX

Handgun Prohibition Notice for Meetings of Governmental Entities

"Pursuant to Section 30.06, Penal Code (trespass by license holder with a concealed handgun), a person licensed under Subchapter H, Chapter 411, Government Code (handgun licensing law), may not enter this property with a concealed handgun."

"De acuerdo con la sección 30.06 del código penal (ingreso sin autorización de un titular de una licencia con una pistola oculta), una persona con licencia según el subcapítulo h, capítulo 411, código del gobierno (ley sobre licencias para portar pistolas), no puede ingresar a esta propiedad con una pistola oculta."

"Pursuant to Section 30.07, Penal Code (trespass by license holder with an openly carried handgun), a person licensed under Subchapter H, Chapter 411, Government Code (handgun licensing law), may not enter this property with a handgun that is carried openly."

"De acuerdo con la sección 30.07 del código penal (ingreso sin autorización de un titular de una licencia con una pistola a la vista), una persona con licencia según el subcapítulo h, capítulo 411, código del gobierno (ley sobre licencias para portar pistolas), no puede ingresar a esta propiedad con una pistola a la vista."